


GTV

WHAT'S NEW?


01/02/03

2024

Specialized hermetic
luminaires



Frames for
BACKPLATE
panels



RGBW light source controlled by remote control. LIGHT FOR EVERY OCCASION!

- The set includes a remote control to control the light;
- Four predefined lighting modes: flash, strobe, fade, smooth;
- White diode with a warm color of 3000 K.



LD-PC2A60RGBW-9W	9W	3000 K + RGB	60W	78mA	50g	5902801473760






Low voltage MR16 light sources

- Perfect for use as furniture lighting;
- Powered by low voltage safe for humans.



LD-SM1016-30	10W	● 3000 K	100 lm	30 g	5902801403972
LD-SM1016-40		● 4000 K			5902801404030
LD-SM1016-64		● 6500 K			5902801404047





Hermetic LED luminaires

BRAGA

- The pass-through design allows the luminaires to be connected in lines;
- Up to 11 luminaires in one line;
- Fast and Easy connection system.



Folder	W	●●●	☀	⊞	LN	🏠	📊
LD-BRA060-30B	30 W	● 4000 K	3000 lm	PC/PC	10	400 g	5902801448164
LD-BRA120-60B	60 W		6000 lm		11	670 g	5902801448294
LD-BRA150-70B	70 W		7000 lm		10	750 g	5902801448218





Hermetic LED fixtures

MORIS

- High luminous efficiency of 120 lm/W;
- Durable polycarbonate construction - IK10.



Folder	W	lm	PF	Weight	Barcode
LD-MOR18W06-NB	10 W	2160 lm	>0,5	200 g	5902801404016
LD-MOR36W12-NB	36 W	4320 lm	>0,9	300 g	5902801403989
LD-MOR45W15-NB	45 W	5400 lm		400 g	5902801404146












Specialized hermetic LED luminaire

FARM

- Complete protection of LED modules against corrosion and chemicals;
- Fixing made of V4A 316 acid-resistant steel;
- Product flammability UL94.



						
LD-FAR150-50W-40	50 W	● 4000 K	7500 lm	PMMA	480 g	5902801475672





Hermetic LED luminaires

LUMIA II

- Fast and Easy Connection system;
- Possibility of connecting up to 30 luminaires in lines;
- Luminous efficiency 130 lm/W.



Folder	W	● ● ●	☀	⊞	♻	Barcode
LD-LUM60-20W-40	20 W	● 4000 K	2600 lm	PC/PC	580 g	5902801475801
LD-LUM120-36W-40	36 W		5200 lm		870 g	5902801475863
LD-LUM150-50W-40	50 W		6500 lm		1050 g	5902801475887











MODULAR

Also in the 3000 K version

- High luminous efficiency;
- Complement of the Modular series with luminaires with a warm light color of 3000 K.



				INFO		
LD-MOD2860-NB	28 W	● 4000 K	4500 lm		1800 g	5902801412738
LD-MOD4060-CB	40 W	● 3000 K	4800 lm			UGR<19
LD-MOD4060-NB		● 4000 K		5902801372698		
LD-MOD12030-NB		● 4000 K	5902801468865			
LD-MOD12030-CB		● 3000 K	5902801413452			
LD-MOD4060UGR-NB		● 4000 K	5902801372872			
LD-MOD12030UGR-NB		● 4000 K	4200 lm	5902801372636		




























Backplate panels in a multi-pack **BROS**

- Panels packed in 8 pieces.



					
GT-BP40W606-40-8	40 W	● 4000 K	4000 lm	1300 g	5902801413766




Frames for type panels

BACKPLATE

- Compatible with both standard LED panels and BACKPLATE panels;
- The frame is assembled using snap connectors.



GT-RM60X60-00



GT-RM30X60-00



GT-RM30X120-00



	LxWxH mm	g	Barcode
GT-RM60X60-00	600 x 600 x 43	550 g	5902801276088
GT-RM30X60-00	600 x 300 x 43	450 g	5902801276163
GT-RM30X120-00	1200 x 300 x 43	800 g	5902801276071
GT-RMBK60x60-00	600 x 600 x 65	680 g	5902801403965
GT-RMBK120x30-00	1200 x 300 x 65	810 g	5902801403095





Mounting kits for **BACKPLATE** LED panels

- Mounting screws included;
- They enable flush and suspended installation.



ZM-PANELSC4-BK-00



ZM-HOOK4-BK-00







ZM-PANELSC4-BK-00	5902801413827
ZM-HOOK4-BK-00	5902801413834



Get to know the luminaires from the series **SOLIS**

- The series consists of both classic ceiling-mounted lamps and single-phase track versions;
- The unique acrylic ring adds additional elegance to the frame, creating interesting visual effects.



				
1	XLT-SOL-GU10-00	MAX. 50W	132 g	5902801435294
2	XLT-SOL-GU10-10			5902801435331
3	XLT-SOL2-GU10-00		320g	5902801435249
4	XLT-SOL2-GU10-10			5902801435041
5	OS-SOL2-GU10-00		350g	5902801435454
6	OS-SOL2-GU10-10			5902801435492
7	OS-SOL-GU10-00		226g	5902801435522
8	OS-SOL-GU10-10			5902801428982
9	OS-SOL-2GU10-00		530g	5902801428999
10	OS-SOL-2GU10-10			5902801429026
11	OS-SOL-3GU10-00		1250g	5902801434907
12	OS-SOL-3GU10-10			5902801435157





Modern ceiling tubes

VIRGO

The Virgo series is perfect for:

- illumination of apartments and commercial spaces;
- highlighting selected areas of the room after rotating the field part of the luminaire;
- creating a modern accent in any interior.



OS-VIRKWB-00

OS-VIRKWW-10

OS-VIROKB-00

OS-VIROKW-10



Product Code	Dimensions (mm)	Weight (g)	Barcode
OS-VIRKWB-00	58 x 58 x 192	372 g	5902801434532
OS-VIRKWW-10			5902801434556
OS-VIROKB-00		396 g	5902801434594
OS-VIROKW-10			5902801434617





Suspended luminaires for 1-phase track

LAGOS II

- The LAGOS II luminaire fits perfectly into modern interiors dominated by simplicity and modernist solutions;
- The luminaire is used with a 1-phase rail system.



XLT-LAGO-GU10-00



XLT-LAGO-GU10-10

			
XLT-LAGO-GU10-00	max. 20 W	450 g	5902801431753
XLT-LAGO-GU10-10			5902801432101





Portable lamp RINGO

- Efficient 1000 mAh battery;
- Possibility to change the light color 3000/4000/6000 K;
- Possibility of adjusting the brightness.



LB-RIN4W-00-DEC



LB-RIN4W-10-DEC

LB-RIN4W-00-DEC	4 W	3000K- 4000K-6000K	200 lm	210 g	5902801449406
LB-RIN4W-10-DEC					5902801449789





Modern garden lighting

LONDON

- Two post heights: 58 and 78 cm;
- IP54 protection class;
- Made of durable and light aluminum.








LD-LON10WA-10



LD-LON10W58P-10



LD-LON10W78P-10

					
LD-LON10W58P-10	10 W	● 4000 K	720 lm	1170 g	5902801479007
LD-LON10W78P-10				1480 g	5902801479144
LD-LON10WA-10				440 g	5902801497377





Modernist LED facade luminaire

NARIN

- Powder-coated aluminum body;
- Luminous efficiency 100 lm/W.



LD-NAR10WB-10

10 W

● 4000 K

1000 lm

500 g

5902801431548





Cubic LED facade luminaires

SIROLO







- Powder-coated aluminum body;
- Luminous efficiency 100 lm/W.



LD-SIRO10WB-10



LD-SIRO10WG-30

					
LD-SIRO10WB-10	10 W	● 4000 K	1000 lm	500 g	5902801431500
LD-SIRO10WG-30					5902801493614





Discover floodlights

ALTON

- The use of a glass lampshade avoids its tarnishing, ensuring bright and clean light throughout the entire period of use;
- The floodlights are covered by a 3-year warranty.



LD-ALTON20W-40



LD-ALTON30W-40



LD-ALTON50W-40



LD-ALTON100W-40



LD-ALTON20W-40	20 W	2000 lm	350 g	5902801404177
LD-ALTON30W-40	30 W	3000 lm	370 g	5902801404191
LD-ALTON50W-40	50 W	5000 lm	750 g	5902801404221
LD-ALTON100W-40	100 W	10000 lm	1200 g	5902801404108





Solar floodlights with motion sensor

RAMOS

- Operating time on a fully charged battery up to 8 hours;
- The range of the motion sensor is 4 meters.



LD-RAMOS50W-CW-00



LD-RAMOS50W-CW-10



LD-RAMOS50W-CW-00	300 lm	470 g	5902801465789
LD-RAMOS50W-CW-10			5902801465949





Watertight connector

WZL-2 MINI

Perfect for:

- connecting cables in the ground;
- use in places with difficult access;
- connecting floodlights.



WZL-2-MINI



68

INFO

connector



0,5-1 mm²



plastic



black



5902801476846



News

2TH QUARTER 2024

<p>ORLANDO</p>	
<p>TULON</p>	
<p>LONGER</p>	
<p>NEPTUN</p>	

News

2TH QUARTER 2024

WORKY



CM-12 DIP



CM-12 POT



CM-13 DIM



News

2TH QUARTER 2024

<p>CR-22</p>	
<p>CR-21</p>	
<p>CR-23</p>	
<p>CR-20</p>	

News

2TH QUARTER 2024

<p>C0-3</p>	
<p>B45 COLORS</p>	
<p>S14</p>	